

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	407	399/167.ccls.	US- PGPUB; USPAT
2	BRS	L2	368	399/82.ccls.	US- PGPUB; USPAT
3	BRS	L3	366	2 not 1	US- PGPUB; USPAT
4	BRS	L4	151	399/75.ccls.	US- PGPUB; USPAT
5	BRS	L5	130	4 not (1 or 2)	US- PGPUB; USPAT
6	BRS	L6	814	399/159.ccls.	US- PGPUB; USPAT
7	BRS	L7	793	6 not (1 or 2 or 4)	US- PGPUB; USPAT
8	BRS	L8	418	399/298,299.ccls.	US- PGPUB; USPAT
9	BRS	L9	381	8 not (1 or 2 or 4 or 6)	US- PGPUB; USPAT
10	BRS	L10	335	347/115,117.ccls.	US- PGPUB; USPAT
11	BRS	L11	315	10 not (1 or 2 or 4 or 6 or 8)	US- PGPUB; USPAT
12	BRS	L12	356670	gear\$4	US- PGPUB; USPAT
13	BRS	L13	126239	(stop\$4 or halt\$3) near3 position\$1	US- PGPUB; USPAT
14	BRS	L14	195654	(start\$3 or reference\$1) near3 (position\$1 or mark\$1)	US- PGPUB; USPAT
15	BRS	L15	519	12 same 13 same 14	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
16	BRS	L16	17	15 and "399"/\$3.ccls.	US- PGPUB; USPAT
17	BRS	L17	18394	(colo\$3 or chrom\$4) near3 mode\$1	US- PGPUB; USPAT
18	BRS	L18	3564	(monochrom\$4 or (black adj2 white)) near3 mode\$1	US- PGPUB; USPAT
19	BRS	L19	438	12 and 17 and 18	US- PGPUB; USPAT
20	BRS	L20	134	19 and "399"/\$3.ccls.	US- PGPUB; USPAT
21	BRS	L21	132	20 not 16	US- PGPUB; USPAT
22	BRS	L22	34050	g03g021/00.ipc.	EPO; JPO
23	BRS	L23	72791	g03g015/00.ipc.	EPO; JPO
24	BRS	L24	0	g03g015/01.ipcl	EPO; JPO
25	BRS	L25	22198	g03g015/01.ipc.	EPO; JPO
26	BRS	L26	788557	gear\$4 or motor\$1	EPO; JPO
27	BRS	L27	36526	(stop\$4 or halt\$3) near3 position\$1	EPO; JPO
28	BRS	L28	44060	(start\$3 or reference\$1) near3 (position\$1 or mark\$1)	EPO; JPO
29	BRS	L29	839	26 and 27 and 28	EPO; JPO
30	BRS	L30	5	29 and 22	EPO; JPO
31	BRS	L31	30	29 and 23	EPO; JPO
32	BRS	L32	28	31 not 30	EPO; JPO
33	BRS	L33	292	"39" and 25	EPO; JPO
34	BRS	L34	8	29 and 25	EPO; JPO

	Type	L #	Hits	Search Text	DBs
35	BRS	L35	3	34 not (30 or 31)	EPO; JPO
36	BRS	L36	2269	(colo\$3 or chrom\$4) near3 mode\$1	EPO; JPO
37	BRS	L37	717	(monochrom\$4 or (black adj2 white)) near3 mode\$1	EPO; JPO
38	BRS	L38	21	26 and 36 and 37	EPO; JPO
39	BRS	L39	17	38 and (22 or 23 or 25)	EPO; JPO